

Print Date:	03/11/2023	Specification Log Number			31C81			
		Specificat	ion & Produ	ict Informat	tion Sheet			
Product Name	Wrapmaster 4500 LMF Cling Film Refill Rolls			Product Code	31C81			
Material	VLMF Cling Film, in compliance with EU Regulation No. 10/2011 and amendments, and other food contact legislation. For use with all food stuffs except pure fat and oils and food stored in an oily medium.							
Roll Dimensions	Length	300mtrs (+/- 2.5%)	Width	445 - 455mm	Micron	5.1 - 7.2 micron		
Labels Inner	N/A			Labels Outer	One Label containing Product code/Description/Barcode/Qty & MPRD/Date-code to be applied to the outer case.			
Country Of Origin & Manufacture	Country Of Origin France. Manufactured in the UK.			Barcode Single	N/A			
Core Size	58T21 - 462mm x 30mm x 3mm + 60M98A Black Plastic Bung			Barcode Pack	N/A			
Packaging Inner Box	N/A			Barcode Case	5023139318131			
Packaging Outer Box	Wrapmaster 4500 printed cardboard box			Specification Instructions	61M11 security label must be used to ensure that the box stays closed. Rolls must have straight & sufficient Roll back for easy-start function.			
Packing Instructions				Pallet Configuration				
Pack 3 rolls per outer case Euro Pallet - 9 Cases Per Layer, 10 Layers High + 6 On Top, 96 Cases Per Pall Euro Pallet - 7 Cases per layer, 10 Layers high + 2 Cases on top, 72 Cases per pallet.								
				Packaging Waste Weights (Approximate) (G)				
Weights & Dimensions (Approximate)			Primary Packaging		Secondary	Secondary	Transit	
Inner Weight (G) (Gross)		N/A	Recycled Cardboard/Paper	255	0	0	1380	
Pack Weight (G) (Gross)		N/A	Recycled Cardboard/paper Core	290.5	0	0	0	
Case Weight (KG) (Gross)		3.43	Plastic LDPE	0	0	0	415	
Inner Dimensions (CM) W x H x D		N/A	Plastic PP	21.9	0	0	0	
Pack Dimensions (CM) W x H x D		N/A	Plastic Blade	0	0	0	0	
Case Dimensions (CM) W x H x D 50		50 x 8.5 x 23.5	Metal Blade	0	0	0	0	
			Instrastat/Con	nmodity Code				
39204310								
Pallet Wrapping Cardboard corner to be placed on each corner of the pallet & Stretch wrapped secured to pallet, minimum of 8 revolutions								