



HJC2-SA-RPH TECHNICAL DATA

Dimensions (mm)	HJC2-SA-RPH
Finish (Ext/Int)	Stainless Steel / Aluminium
Width (Ext/Int)	1403/870
Depth (Ext/Int)	703/585
Height of worktop (Ext/Int)	859/600
Height of raised pans	1037
Door Opening	390
Capacity cu.ft/ltrs	13.2/374
Temperature (°C)	+1/+4°C
Climate Class	Class 4 (30°C)
Power Supply	230V/50Hz/1Ph
Fuse (Amps)	13
Defrost	Automatic Off Cycle
Noise level (dBA)	63

Fittings

Shelves	4
Trayslides per door	4

Electrical / Energy Data

Refrigerant	R290
Start Up (Amps)	9.5
Running (Amps)	1.68
Heat Rejection	484



Key Features

- Foodsafe stainless steel exterior and aluminium interior
- Radiused, easy clean, interior based corners
- Self closing doors
- Barrel locked doors
- Magnetic balloon door gaskets with 100% tight seal
- Anti-tilt trayslides
- Removable racking system
- Precision injected, high density polyurethane insulation with low GWP (Global Warming Potential) and zero ODP (Ozone Depletion Potential).
- Heavy duty, non-marking swivel castors with brakes
- Removable refrigeration system designed for easy service and maintenance
- CoolSmart controller
- Designed and engineered to operate efficiently up to a 43°C ambient
- Fully automatic air cooled condensing unit
- Defrost water is vaporised using recycled heat from compressor
- High performance helium leak testing

Options

- Stainless steel interior
- Additional shelving / trayslides
- Drawer banks (2 or 3)
- Adjustable legs in lieu of castors (add 10mm to height)
- GN Pans (not included)

IMPORTANT NOTES:

*Counters with raised pan holders are out of scope of MEPS

All refrigeration equipment requires adequate ventilation for efficient and effective performance.

**Heat rejection is evaporating at -10°C in 32°C Ambient

Williams is committed to a policy of continual product development and innovation. As such, we reserve the right to change product specifications stated without prior notice.

Williams Refrigeration
Bryggen Road,
North Lynn Industrial Estate
King's Lynn, Norfolk. PE30 2HZ

T +44(0) 1553 817 000
Spares: +44(0) 1553 817 017
E info@williams-refrigeration.co.uk
W www.williams-refrigeration.co.uk

