

Showcasing your products beautifully.

Multideck Display Chillers

ECOSHOW >

Products have never looked so good

• Efficiency meets stunning display, with the new EcoShow. With an 80% energy saving on previous models and our new revolutionary uplighting, your products have never looked so good.



 Designed using cutting edge CFD modelling technology for genuine temperature retention, you can be confident that food will stay fresher for longer.






EcoShow Specifications ^{Configurations}	EMD700G		EMD900G		EMD1200G		EMD1500G		EMD1800G	
Dimensions (w x d x h) mm**	695 x 770 x 1955	-	895 x 770 x 1955	-	1195 x 770 x 1955	-	1495 x 770 x 1955	-	1795 x 770 x 1955	-
330ml drink can capacity	306	-	408	-	578	-	714	-	884	-
No. of storage levels	5	-	5	-	5	-	5	-	5	-
Display (+1/+5°C) M1	EMD700G	В	EMD900G	В	EMD1200G	В	EMD1500G	В	EMD1800G	В

Energy grade*

* Based on standard specification. Full energy listings available at fosterrefrigerator.com. **Depth includes 35mm spacer for when the product is to be wall sited.



NB: Please specify all options required at the time of ordering



Supplied as standard

High impact LED lighting



Point of Sale ticket strips





Energy efficient hydrocarbon refrigerant, one of the greenest refrigerants on the market.



Multidecks

Pro and Slim Multideck Display Chillers 🗩

Stylish performance merchandisers

• From convenience stores and cafes to bakeries and supermarkets, Foster Pro and Slim Multideck Display Chillers ranges offer the perfect solution to suit all budgets and every possible business application.



Display Refrigeration



Slim Specifications ^{Configurations}	FMSLIM700		FMSLIM900		FMSLIM1200		FMSLIM1500		FMSLIM1800	
Slim Model	FMSLIM700NG	F	FMSLIM900NG	F	FMSLIM1200NG	G	FMSLIM1500NG	G	FMSLIM1800NG	G
Dimensions (w x d x h) mm**	695 x 740 x 1780	-	895 x 740 x 1780	-	1195 x 740 x 1780	-	1495 x 740 x 1780	-	1795 x 740 x 1780	-
330ml drink can capacity	216	-	288	-	384	-	504	-	624	-
No. of storage levels	4	-	4	-	4	-	4	-	4	-
Pro										
Specifications Configurations	EMPRO900		FMPRO1200		EMPRO1500		FMPRO1800			
Specifications		F		G		F		G		
Specifications Configurations	FMPRO900	F -	FMPRO1200	G -	FMPRO1500	F	FMPRO1800	G -	Energy grade	*
Specifications Configurations Pro Model	FMPRO900		FMPRO1200		FMPRO1500	F	FMPRO1800		0, 0	d specification. Full energy listings availab





Stainless steel shelf and support brackets

NB: Please specify all options required at the time of ordering

Point of sale



Ticket strips as standard on all models.



Multidecks



