



## LCOXL - Lincat Lynx 400 Electric Counter-top XL Convection Oven - W 670 mm - D 570 mm - 2.5 kW

Lynx 400 Series XL Convection Oven  
2.5kW accommodates 4 x 1/1  
gastronorms.

- ✓ Powerful fan assisted cooking for uniform heat, and consistent cooking results
- ✓ Powerful 2.5kW oven allows rapid heat up time
- ✓ Temperature range 50-250°C
- ✓ Simple dial control for easy use
- ✓ 55 minute timer enables accurate cooking times
- ✓ Accommodates 4 x 1/1 gastronorms placed directly on shelf runners
- ✓ Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- ✓ Easy plug and play operation - 13A plug

### Specifications

#### Summary

<b>Brand</b>	Lincat
<b>Range</b>	Lynx 400
<b>Power Type</b>	Electric
<b>Unit Type</b>	Counter-top
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105120162

#### Power and Performance

<b>Total Power kW</b>	2.5
<b>Temperature Range °C</b>	50-250
<b>IP Rating</b>	IP24
<b>Controls Position</b>	Below
<b>Temperature Control</b>	Mechanical
<b>Timer Range mins</b>	55

#### Key Specifications

<b>Stackable</b>	No
<b>Feet Height/Type</b>	20mm adjustable
<b>Continuous Plug-In Door Seal</b>	Plug in - not continuous
<b>Removable Inner Door Glass</b>	Yes
<b>Handle Type</b>	Grab
<b>Vented Door</b>	Yes
<b>Reversible Door</b>	No
<b>Door Type</b>	Left Hinged
<b>Phased Cooking</b>	No
<b>Shelf Timer(s) (Number)</b>	No
<b>Grill Element/Mode</b>	No
<b>Core Temp Probe</b>	No
<b>Steam Injection</b>	No
<b>Fan(s) Speed</b>	1
<b>Fan(s) Type</b>	Single Direction
<b>Number of Fan(s)</b>	1
<b>Euronorm Compatible</b>	No
<b>Sheet Pan Compatible</b>	Yes
<b>Removeable Shelf Guides</b>	Yes
<b>Manual Mode</b>	Yes
<b>Programmable</b>	No
<b>Timer Type</b>	Mechanical
<b>Number of Shelves included</b>	3
<b>Number of Shelf Positions</b>	4
<b>Type of Lighting</b>	Filament Bulb
<b>Construction/Finish</b>	430 S/S cavity
<b>GN Compatible</b>	Yes

#### Capacity

<b>Gastronorm Capacity</b>	4 x GN1/1
<b>Shelf Spacing mm</b>	80
<b>Sheet Pan Capacity</b>	4 x 533 x 381 mm
<b>Capacity Litres</b>	100.4

**Weights and Dimensions**

Unit Height (External) mm	605
Unit Width (External) mm	670
Unit Depth (External) mm	570
Height (Internal) mm	440
Width (Internal) mm	585
Depth (Internal) mm	390
Shelf Dimensions Width mm	550
Shelf Dimensions Depth mm	330
Net Weight Kg	49.6

**Supply Connections**

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	2,500
Single Phase Amps	10.9
Single Phase Voltage	230
USB Port	No




**Shipping**

Packed Weight Kg	59.6
Packed Height cm	76
Packed Width cm	70
Packed Depth cm	85

**Available Accessories**

<b>SH141</b>	Shelf for LCOXL ovens 553mm x 330mm
--------------	-------------------------------------

**Technical Picture**



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 503250  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm